



Horn & Bauer
CUMBRIAN

Product Catalogue

**100 %
Recyclable**




**Use the film
the professionals use**

Complete protection
solutions for work &
paint shops

**100 %
Made in
Germany**





A photograph of a man with short grey hair and glasses, wearing a dark grey work jacket over a brown sweater. He is standing in a factory or industrial setting, looking off to the side. The background shows various industrial components, including pipes and machinery. A large blue circle is overlaid on the right side of the image, containing the text "We are your Manufacturer." in white.

**We are your
Manufacturer.**



**Certified
Quality.**

Protection Films for the ecology-minded Customer Service

Arguments for the ecologically beneficial raw material polythene:



Polythene is a high-grade finished mineral oil product. It is an organic material and the composition is similar to plant fibres on the basis of carbon and hydrogen.



Producing polythene is eco-friendly. Neither contaminants nor dangerous vapors are released. Polythene is a by-product of the mineral oil preparation.



The energy needs when producing polythene films are definitely lower in comparison to other packaging materials (e.g. paper). Therefore, resources are saved.



Our products of polythene do not contain softeners or heavy metal. They are physiologically safe.



Polythene is reusable several times due to their high ultimate strength and wet strength. Therefore, they are eco-friendly.



Eco-friendly and easy to dispose:



Polythene films are ground water neutral



The films can be used to create energy or can be recycled and reused.



Horn & Bauer only uses anti-pollution, heavy metal free polythene mixtures for the production of their protective films.

Our Environmentally Friendly Solutions



Protecting our planet is important to us



Recycling

Collection, homogeneous separation and reuse of plastic waste enables us to produce recycled products that give a second life. Waste that never reaches the oceans does not pose a threat to sensitive ecosystems.



Low energy demand

Compared to other packaging materials (e.g. paper), the energy required for the production of polyethylene films is significantly lower and resources are conserved.



Organic material

Polythene is a highly refined petroleum product. It is an organic material, similar in structure to plant fibres based on carbon and hydrogen.



Physiologically save

Our polyethylene products contain neither plasticizers nor heavy metals.



Homemade energy

With our combined heat and power plant we cover 25% of our own energy requirements.





SMART GRIP

Extra non-slip seat protection
Less material - more protection



Easy on resources

Conservation of resources due to lower material usage with higher product protection.



Extra non-slip

Prevents slipping on the surface to be protected. Offers perfect and safe protection.



Reusable

The material properties allow multiple use of the product.



INTEGRAL 5 IN 1

Seat cover, floormat, gearstick,
handbreak & steering wheel



Extra non-slip

Prevents slipping on the surface to be protected. Offers perfect and safe protection.



Recycling

Manufacture from more than 50% recycled material.



Reusable

The material properties allow multiple use of the product.



THE GREEN ONE

Seat protection made of recycled
material



Recycling

Manufacture from more than 50% recycled material.



Reusable

The material properties allow multiple use of the product.



BIO PROTECT

Seat protector made of biological
degradable material



Biodegradable material

Made of 100% biodegradable material. Certified according to the European standard En 13432.



Reusable

The material properties allow multiple use of the product.

Being professional means: **Always a suitable solution**

From the economy products manufactured from recycled materials to the unique outstanding non-slip products Horn & Bauer offers the perfect solution for all demands.

Much of the range is supplied in attractive dispenser boxes to keep the products clean and create a professional image.

Always a suitable solution.



With the use of our products you guarantee a responsible handling of customers vehicles:

- Highest quality and service standards
- Protection of the vehicle interior against oil, liquids, dirty work clothes, dirty hands as well as dirty wheels
- Effective and low-priced
- One-time use always guarantees a new clean product
- Copious advertising space to promote a logo or corporate image
- The final cleaning of the vehicle interior will be reduced to the minimum-saves time and money

Legend for **Work Shop Experts**



Non-Slip

Prevents slipping on the surface to be protected. Offers perfect and safe protection.



In the dispenser box

Perfect protection against dust from the first to the last piece. Individual removal through the prepunched removal slot. No dust attraction, a clean garage wall is guaranteed. Save transport, easy storage, stackable.



Tear resistant

Because of the special material composition very tough and tear resistant.



Form shaped

Fits perfect to the contours of the seat. Complete covering of the seat, the backrest and the outside of the seat. Narrow head rest area allows a good rear view.



Antistatic

Stops static charging because of the special material components.



Personalised print

Copious advertising space to promote a logo or corporate image. Your customers will keep you in mind

L · XXL

Sizes from L-XXL

For suitable seat protection for conventional car seats to large truck seats.



Extra strong

Tough and tear resistant. Multiple use and suitable for long-term repairs.



Reusable

Material characteristics permit the multiple use of the product.

WORK SHOP

PAINT SHOP

ACCESSORIES



**For your
Work Shop.**

The Dispenser Box System

Single dispensing due to the punched slit

Optimum protection against dust from the first to the last piece

All other pieces stray protected in the dispenser box











No attraction of dust thanks to dispenser box. The wall of the work shop remains clean

Safe transport, easy redispach

Easy storage, stackable

Overview of our Seat Protection Solutions

| | OPTIFIT The Kling On | SMART GRIP | Integral Recycle | BioProtect | Recycled Green | Standard | Optistretch Heavy Duty | Interior Protection Kit |
|---|-------------------------|------------|------------------|------------|----------------|----------|---------------------------|-------------------------|
|  Non-Slip | ● | ● | ● | | | | ● | |
|  Tear resistant | ● | ● | ● | ● | ● | ● | ● | ● |
|  Antistatic ESD | | | | ● | ● | ● | | |
| S-XXL Size | L | XXL | XL | L | L | L | XL | L |
|  Reusable | ● | ● | ● | ● | ● | | ● | ● |
|  Dispenser box | ● | ● | ● | ● | ● | ● | | |
|  Form Shapped | | | | | | | ● | |
|  Personalised printing | ● | | ● | ● | ● | ● | | ● |
|  Extra strong | | ● | ● | ● | | | ● | |

MULTI-USE 2 IN 1



Seat cover protection & rubbish sack

- 70% PCR recycled & 100% recyclable
- Save money & space: seat cover and rubbish sack in the same roll
- Slippy outer surface will not cling to operator's clothes
- Tear resistant
- Suitable for all car seats - covers seat and headrest
- The material properties allow multiple use of the product

| PRODUCT | QUANTITY | PART NUMBER |
|--|---------------------|-------------|
| Polythene green & white Seat & Rubbish Sack | 250 pieces per roll | 324420 |



Extra non slip



Tear resistant



Antistatic



Seat size



Reusable




Dispenser Box



Form shaped



Personalised on request



Extra strong

THE SMART GRIP



The new generation of seat protection

- Offers more protection with less material
- New design: larger coverage area - less material
- Non-slip inner surface
- Slippy outer surface will not cling to operator's clothes
- Tear resistant
- Suitable for all car seats

| PRODUCT | QUANTITY | PART NUMBER |
|---|---------------------|-------------|
| Polythene white / transparent 850 x 1550 mm | 400 pieces per roll | 320883 |



THE INTEGRAL RECYCLE 5 IN 1



Set solution made of more than 50% recycled material

- The perfect full protection for the car interior with 5 high-quality protective elements in 1 set
- Elements 1 & 2 - Recycling protective cover & doormat in one piece*
- Narrow head area allows a view into the blind spot during test drivers or rear manoeuvring
- Seat cover dimension: 880 x 1500 mm
- Floormat dimension: 510 x 700mm

Element 3 - Non-slip steering wheel protection

- Special film, blue
- Highly stretchable, non-slip
- Suitable for car steering wheels
- Adapts elastically to the shape of the steering wheel
- Steering wheel dimension: 490 x 150mm

Element 4 - Gear lever protection

- Universally applicable, suitable for all shift lever types

Element 5 - Handbrake protection

- Universally applicable, suitable for all hand brake types

| PRODUCT | QUANTITY | PART NUMBER |
|--|---------------------|-------------|
| Polyethylen-Recycling 800 X 1500 mm | 200 pieces per roll | 323008 |



BIO PROTECT



Seat protector made of biodegradable material

- Made of 100% biodegradable material, certified according to the European standard EN 13 432
- Suitable for all car seats - covers seat and headrest
- Tear-resistant, stretchable
- The material properties allow multiple use of the product

| PRODUCT | QUANTITY | PART NUMBER |
|---|---------------------|-------------|
| Made of biodegradable material, internal pressure possible 790 x 1350 mm | 200 pieces per roll | 312696 |



Extra non slip



Tear resistant



Antistatic



Seat size



Reusable



Dispenser Box



Form shaped



Personalized on request



Extra strong

THE GREEN ONE



Seat protector made with recycled material

- Suitable for all vehicle seats
- Cover seat and headrest
- Dust protected in the dispenser box

| PRODUCT | QUANTITY | PART NUMBER |
|--|---------------------|-------------|
| Coloured recycled polythene 790 x 1300 mm | 500 pieces per roll | 302500 |



Extra non slip



Tear resistant



Antistatic



Seat size



Reusable



Dispenser Box



Form shaped



Personalised on request



Extra strong

STANDARD WHITE



Suitable for all car seats - cover seat and headrest

- Suitable for all car seats - cover seat and headrest
- Dust protected in the dispenser box

| PRODUCT | QUANTITY | PART NUMBER |
|---|---------------------|-------------|
| White polythene seat cover 790 x 1400 mm | 100 pieces per roll | 325275 |
| | 500 pieces per roll | 314789 |



OPTISTRETCH - HEAVY DUTY



Suitable for single seats

- Individual fitting to all car seats
- Partly flexible back layer
- Multi-use
- Applicable to truck seats

| PRODUCT | QUANTITY | PART NUMBER |
|---|---------------------|-------------|
| White - transparent heavy duty polythene 850 x 1500 mm | 150 pieces per roll | 323082 |



Extra non slip



Tear resistant



Antistatic

XL

Seat size



Reusable



Dispenser Box



Form shaped



Personalized on request



Extra strong

OPTIFIT® - THE KLING ON



The Seat Protection

- Slippy outer surface will not cling to operator's clothes
- Perfect fit due to non-slip inner layer
- Tear resistant for long term repair
- Dust protected in the practical dispenser box

| PRODUCT | QUANTITY | PART NUMBER |
|---------------------------------------|---------------------|-------------|
| White-blue polythene 790 x 1370 mm | 500 pieces per roll | 300030 |



Extra non slip



Tear resistant



Antistatic



Seat size



Reusable



Dispenser Box



Form shaped



Personalised on request



Extra strong

INTERIOR PROTECTION KIT



25 Kits for total protection

- Each kit includes 1 recycled seat cover, hand brake protection, gear stick protection & steering wheel protection.

| PRODUCT | QUANTITY | PART NUMBER |
|-------------------------|-----------------|-------------|
| Interior Protection Kit | 25 Kits per box | 323653 |



OPTISTRETCH



Design

- Variable adjustment to the seat
- Headrest protection, optional
- Coverage of all upholstery surfaces
- Pocket for companion parts
- Access to controls
- Elasticated film optima shower car design



Material Properties

- Elastic foil
- Strong anti-slip
- Ventilation through perforation/needling
- Foil thickness: from 35 µm

OPTISTRETCH WITH POCKET



Design

- Variable adjustment to the seat
- Headrest protection, optional
- Coverage of all upholstery surfaces
- Pocket for companion parts
- Pocket in the seat gap
- Access to controls

Material Properties

- Elastic foil
- Slightly anti-slip
- Ventilation through perforation/needling
- ESD equipment
- Transparent
- Product on a roll with tear-off perforation
- Optional: product loosely stacked
- Foil thickness: from 45 µm



OPTIFIT SEAT COVER



Design

- Variable adjustment to the seat
- Headrest protection, optional
- Access to controls

Material Properties

- Elastic foil
- Very strong anti-slip
- Ventilation through perforation/needling
- Foil thickness: from 20 μm
- Transparent
- Product on a roll with tear-off perforation



TOTAL PROTECTION



Design

- Headrest protection, optional
- Variable adjustment to the seat
- Coverage of all upholstery surfaces
- Partial headrest protection
- Pocket in the seat gap
- Pocket for companion parts
- Access to controls

Material Properties

- Strong anti-slip
- Ventilation through perforation/needling
- Foil thickness: from 45 μm
- ESD equipment
- Transparent
- Product loosely stacked

HYBRID PROTECTION



Design

- Variable adjustment to the seat
- Headrest protection, optional
- Access to controls
- Pocket in the seat gap
- Coverage of all upholstery surfaces

Material Properties

- Elastic foil, transparent
- Nonwoven breathable, white
- Material thickness: from 30 g/m² / 45 µm
- ESD equipment
- Backrest is transparent
- NW / foil, individually wrapped
- Product on a roll



BACK SEAT



Design

- Variable adjustment to the seat
- Headrest protection, optional
- Access to controls
- Pocket for companion parts
- Coverage of all upholstery surfaces

Material Properties

- Optional elastic film
- Ventilation through perforation/needling
- Foil thickness: from 30 μm
- ESD equipment
- Transparent
- Product on a roll with tear-off perforation




STEERING WHEEL COVERS



Suitable for car steering wheels

- Special blue- transparent film
- Very stretchy
- Non-slip
- Dust protected in the practical dispenser box



| PRODUCT | QUANTITY | PART NUMBER |
|---------------------------|--------------------|-------------|
| Steering wheel protection | 500 pieces per box | 300127 |

STEERING WHEEL WRAP WITH HANDLE



Rolls of wrap steering wheel with handles

- Stretchy, non-slip self adhesive film
- Practical easy to use
- Each box contains 10 rolls and 10 handles
- Covers approx. 215 steering wheels



| PRODUCT | QUANTITY | PART NUMBER |
|---------------------------------------|-------------------------------|-------------|
| Steering wheel protection with handle | 1 box 10 rolls x 300 meter | 300121 |

HANDBRAKE AND GEAR LEVER PROTECTION



Suitable for all cars

- Elasticated bottom holds it in place
- Protection against dust, dirt and grime
- Manufactured from polythene
- Suitable for all car steering wheels
- Dust protected in a practical dispenser box

| PRODUCT | QUANTITY | PART NUMBER |
|--------------------------|--------------------|-------------|
| Handbrake and gear lever | 500 pieces per box | 316826 |

GREY POLYTHENE FLOOR MAT



Printed foot marks in recycled polythene

- Non-slip polythene on one side
- Floor mat for protection against oil, dirt, water
- Dust protected in the practical dispenser box

| PRODUCT | QUANTITY | PART NUMBER |
|---|--------------------|-------------|
| Grey recycled polythene with print "Multi Feet" 400 x 550 mm | 500 pieces per box | 308182 |

WHITE POLYTHENE FLOOR MAT



Standard floor mat with printed feet

- Non-slip polythene on one side
- Floor mat for protection against oil, dirt, water
- Dust protected in the practical dispenser box

| PRODUCT | QUANTITY | PART NUMBER |
|---|--------------------|-------------|
| White polythene with print "Feet" 400 x 550 mm | 500 pieces per box | 300137 |

WHITE POLYTHENE FLOOR MAT



Plain large white polythene floor mat

- Floor mat for protection against oil, dirt, water
- Dust protected in the practical dispenser box

| PRODUCT | QUANTITY | PART NUMBER |
|---------------------------|---------------------|-------------|
| Large polythene floor mat | 250 pieces per roll | 308195 |

RECYCLABLE PAPER CREPE FLOOR MAT



Plain brown recycled crepe paper floor mat

- Floor mat for protection against dirt
- Dust protected in the practical dispenser box

| PRODUCT | QUANTITY | PART NUMBER |
|---|---------------------|-------------|
| Light brown crepe 70 g/m ² 500 x 370 mm | 500 pieces per roll | 312970 |

PLAIN SPECIAL CREPE PAPER FLOOR MAT



Suitable for all cars

- Floor mat for protection against dirt
- Dust protected in the practical dispenser box
- Printed on request

| PRODUCT | QUANTITY | PART NUMBER |
|---|--------------------|-------------|
| Special crepe 70 g/m ² 375 x 500 mm | 500 pieces per box | 323621 |

SMASHWRAP



Self-adhesive protection film for multiple use

- Suitable for broken car windows, door cladding, interior protection, valeting work, surface wing, sill & bonnet protection
- Strong and flexible
- Protects car interiors from rain dirt and other weather conditions
- Unsuitable for long term application to painted surfaces (e.g. transport protection for vehicles)

| PRODUCT | QUANTITY | PART NUMBER |
|-----------------------------------|----------|-------------|
| Blue adhesive film 90cm x 100m | 1 roll | 310321 |
| Blue adhesive film 60cm x 100m | 1 roll | 317468 |

INDUSTRIAL RUBBISH SACKS



Suitable for all work purposes

- Heavy duty
- Large capacity
- Perforated rolls



| PRODUCT | QUANTITY | PART NUMBER |
|--|---------------------|-------------|
| Black rubbish sacks 700 x 1100 mm 50 µ | 150 pieces per roll | 308202 |
| Green rubbish sacks 700 x 1100 mm 60 µ | 100 pieces per roll | 300170 |



WORK SHOP

PAINT SHOP

ACCESSORIES








**For your
professional
Paint Shop.**

Wondermask® Premium

Overview of our Masking Range Products

- ★ Improved formulation
- ★ Optimised cutting behaviour
- ★ Better haptics

| | Wondermask® Lite + | Wondermask® Aquafit | Wondermask® Lite Antistatic | Wondermask® White Antistatic | Wondermask® Heavy Duty | Wondermask® Classic |
|--|--------------------|---------------------|-----------------------------|------------------------------|------------------------|---------------------|
|  6M Technique | ● ● ● | ● ● ● | ● ● ● | ● ● ● | ● ● ● | ● ● ● |
|  Water Resistant – No Marks | ● ● ● | ● ● ● | ● ● ● | ● ● ● | ● ● ● | ● ● ● |
|  Easy to cut | ● ● ● | ● ● ● | ● ● ● | ● ● ● | ● ● ● | ● ● ● |
|  Tape Resistant | ● ● ● | ● ● ● | ● ● ● | ● ● ● | ● ● ● | ● ● ● |
| 125°C 110°C Heat resistant up to | 110 °C | 110 °C | 110 °C | 110 °C | 110 °C | 110 °C |
| Paint adhesion | ● ● ● | ● ● ● | ● ● ● | ● ● ● | ● ● ● | ● ● ● |
| Static / Antistatic | Static | Static | Antistatic | Antistatic | Static | Static |
|  Robust (Thickness) | ● ● ● | ● ● ● | ● ● ● | ● ● ● | ● ● ● | ● ● ● |
| Anti-Stain Effect | YES | YES | YES | YES | YES | NO |
| Gauge | 18µm | 15µm | 18µm | 15µm | 25µm | 18µm |

Being professional means: Always the right solution at hand!

Our range of masking films as well as other protection-, special films and accessories meet the needs and requirements of collision repair in work- and paint shops.

We offer solutions from premium brands like WONDERMASK® *****LitePlus – in 1988 which was the revolution of masking technology: The first paint adhesive film – WONDERMASK® ***AquaFit, WONDERMASK® WPS up to simple eco-line products or other films for the protection of glasses, lights, spray booth walls, mixing rooms, mixing tables, floors or gun cleaning machines.

Legend for Body- and Paint Shop Professionals



6M Technique

One product for all types of vehicles. Large vehicles like transporters, SUVs and others can be covered from front to back with the „6M technique“ and cars can be covered from side to side.



Easy to Cut

Very good cutting ability.



Tape Resistant

Tape can be repositioned.



Water Resistant – No Marks

No marks when used on damp vehicles, no bleed-through of paint and water.



Static

All parts of the vehicle are protected to avoid paint mist, because the film clings to the vehicle.



Resilient

Extremely strong. Very tear resistant during the masking process.

Covering: Avoid unnecessary work during paint preparation



During painting not only the performance but also the preparation is important. The masking of vehicles or parts must be easy.

Before masking, the first question arises which material would be the best to apply.

Without a doubt, masking films are definitely one step ahead.

Since the introduction of our paint absorbent **masking film, Wondermask® Classic** during the Automechanica in Frankfurt 1988, this innovative masking technique has been implemented worldwide.

The features on the occasion of this special film guarantee to **save time and money during the process of covering vehicles**. The sizes 4, 5 and 6 meter completely cover the vehicles.

The use of smaller films or paper is not only time consuming but also expensive.

In comparison to paper, which is offered in smaller width, the application of masking film is a single application process no extras required.

Masking films are **lint-free** and in contrast to paper do not contain fibres. Therefore, **no additional dust formation** can develop. Soaking of the film is not possible.





The 6M Technique!

Transporters and bigger vehicles can be covered in driving direction from front to back due to the width of 6 meters. Cars can be covered from side to side (door to door) with the width of 6 meters. **One masking film width for all vehicles.**

Your advantage: Saves time, storage and money!

WONDERMASK® ***LitePlus** is available in widths from 25 cm to 600 cm.



No Water Stains

Water stains are common, caused by residual moisture.

With the use of Horn & Bauer **WONDERMASK® *****LitePlus** and AQUAFIT **the staining risks are minimised.**



Correction of Tape

Most of the time when using standard films the tape can not be repositioned and the film will be damaged. The material characteristics of **WONDERMASK® *****LitePlus** films allow that **the tape can be easily removed and corrected** without a damage on the masking film.



Cutting Ability and Static

A **very good cutting and static ability** will improve the productivity to make the working steps faster and provide the basis for a save and professional masking to improve the quality. **WONDERMASK® *****LitePlus** meets all these expectations.



125°C
110°C

Use of infrared Drying on Masking Films

Masking films must have a high heat resistancy when using infrared dryers. **WONDERMASK® *****LitePlus is heat resistant up to 125°C** so that there is no problem with the use of infrared dryers.


Bad Experiences with Paint Mist?

Sometimes it happens that when painting in the lower part of the vehicle, parts of the **paint mist** crawl under the car. If the paint film hangs down to the floor, the paint mist cannot escape to the outside. It rises under the film and settles on the top of the car.

You can **prevent this** by pulling the film 20-30 cm from the ground so that it is flush with the lower edge on the opposite side.

WONDERMASK®
*****LitePlus

Now even better!



- ★ Improved formulation
- ★ Optimised cutting behaviour
- ★ Better haptics

Wondermask® Lite Plus

- Improved formulation: optimised cutting behaviour
- No bleed-through of water or paint
- Heat resistant up to 125° C
- Also suitable for foiled vehicles
- Gauge: 18 µm

| PRODUCT | QUANTITY | PART NUMBER |
|-------------------------------------|----------------------|-------------|
| Wondermask Lite Plus 0.5m x 500m | 1 roll dispenser box | 305478 |
| Wondermask Lite Plus 1m x 500m | 1 roll dispenser box | 305527 |
| Wondermask Lite Plus 2m x 400m | 1 roll dispenser box | 317113 |
| Wondermask Lite Plus 4m x 150m | 1 roll dispenser box | 317112 |



6M Technique



Easy to cut

125°C
110°C

Heat resistant
up to



Robust (Thickness)



Static



Tape Resistant



Water Resistant
- No Marks

WONDERMASK®
***AquaFit

Now even better!



- ★ Improved formulation
- ★ Optimised cutting behaviour
- ★ Better haptics

Wondermask® AquaFit

- Improved formulation: optimised cutting behaviour
- Heat resistant up to 110° C
- No staining from residual moisture at the vehicle
- The light-blue transparent film gives increased cutting efficiency due to good vehicle outline visibility
- Paint adhesive, static
- Gauge: 15 µm

| PRODUCT | QUANTITY | PART NUMBER |
|-----------------------------------|----------------------|-------------|
| Wondermask AquaFit 4m x 150m | 1 roll dispenser box | 317729 |
| Wondermask Lite Plus 6m x 100m | 1 roll dispenser box | 317724 |
| Wondermask Lite Plus 5m x 4m | 1 roll dispenser box | 316291 |



6M Technique



Easy to cut

125°C
110°C

Heat resistant
up to



Robust (Thickness)



Static



Tape Resistant



Water Resistant
- No Marks

Wondermask® Lite Antistatic



- Designed for use on vehicles which are subject to damp conditions, minimising risk of ghost marks
- Improved formulation: optimised cutting behaviour
- Heat resistant up to 110° C
- Anti-static & anti-staining masking film
- Tear resistant
- Gauge: 18 µm

| PRODUCT | QUANTITY | PART NUMBER |
|---|----------|-------------|
| Wondermask Lite Antistatic 4.6m x 150m | 1 roll | 301965 |



Wondermask® Lite White Antistatic



- Improved formulation: optimised cutting behaviour
- Heat resistant up to 110° C
- Anti-static & anti-staining masking film
- Tear resistant
- Gauge: 15 µm

| PRODUCT | QUANTITY | PART NUMBER |
|---|----------|-------------|
| Wondermask Lite White Antistatic 4m x 200m | 1 roll | 315471 |



6M Technique



Easy to cut

125°C
110°C

Heat resistant
up to



Robust (Thickness)



Static



Tape Resistant



Water Resistant
- No Marks

Wondermask® Lite Heavy Duty

WORK SHOP



PAINT SHOP

- Masking film heavy duty, greater resistance to puncturing
- Can be used over any object undergoing first time paint or repair
- Heat resistant up to 110° C
- Tear resistant
- Heavy Duty film 25 µm

| PRODUCT | QUANTITY | PART NUMBER |
|---|----------|-------------|
| Wondermask Lite Heavy Duty 4m x 100m | 1 roll | 305179 |

ACCESSORIES



Wondermask® Classic



- Masking film static attracts dust away from the painted finish
- Complete protection against overspray, eliminating the need for clean-up or rectifying afterwards
- Heat resistant up to 110° C
- Tear resistant
- Opaque green & grey
- Welded car cover perforated on a roll
- Gauge: 18 µm

| PRODUCT | QUANTITY | PART NUMBER |
|---------------------------------|----------|-------------|
| Wondermask Classic 6.3m x 4m | 1 roll | 300060 |



6M Technique



Easy to cut

125°C
110°C
Heat resistant
up to



Robust (Thickness)



Static




Tape Resistant



Water Resistant
- No Marks

Economy Paint Masking

Overview of our Masking Range Products

| | <i>Economask</i> | <i>Budgetmask</i> | <i>CDC Red</i> | <i>CDC Green with PCR</i> | <i>Yellow</i> | <i>High Temperature</i> |
|---|------------------|-------------------|----------------|---------------------------|---------------|-------------------------|
| Size | 4 / 5 / 6 metre | 6 metre | 5 metre | 5 metre | 3.8 / 4 metre | 0.1 / 4.4 metre |
|  Water Resistant – No Marks | ● ● ● | ● ● ● | ● ● ● | ● ● ● | ● ● ● | ● ● ● |
|  Easy to cut | ● ● ● | ● ● ● | ● ● ● | ● ● ● | ● ● ● | ● ● ● |
|  Tape Resistant | ● ● ● | ● ● ● | ● ● ● | ● ● ● | ● ● ● | ● ● ● |
| 125°C 110°C Heat resistant up to | 90°C | 90°C | 110°C | 110°C | 90°C | 140 > 200°C |
| Paint Adhesion | ● ● ● | ● ● ● | ● ● ● | ● ● ● | ● ● ● | ● ● ● |
|  Static | ● ● ● | ● ● ● | ● ● ● | ● ● ● | ● ● ● | ● ● ● |
|  Robust (Thickness) | ● ● ● | ● ● ● | ● ● ● | ● ● ● | ● ● ● | ● ● ● |
| Gauge | 08µm | 10µm | 12µm | 12µm | 08 > 10µm | 18 > 40µm |
| Anti-Stain Effect | NO | NO | YES | YES | NO | NO |

Economask Masking Film



- Transparent continuous sheeting, clear with centre fold
- Paint adhesive, static
- "M" folded for one person operation
- Treated to attract over spray
- The vehicle must be dry when covered
- Not suitable for foiled vehicles
- Gauge: 8µm

| PRODUCT | QUANTITY | PART NUMBER |
|------------------------|----------------------|-------------|
| Economask 4m x 150m | 1 roll dispenser box | 316931 |
| Economask 5m x 120m | 1 roll dispenser box | 316862 |
| Economask 6m x 100m | 1 roll dispenser box | 317636 |



White Budgetmask Masking Film

WORK SHOP



PAINT SHOP

- White continuous sheeting
- Paint adhesive, static
- "M" folded for one person operation
- Treated to attract over spray
- The vehicle must be dry when covered
- Not suitable for foiled vehicles
- Gauge: 10µm

| PRODUCT | QUANTITY | PART NUMBER |
|-------------------------|----------------------|-------------|
| Budgetmask 6m x 100m | 1 roll dispenser box | 317560 |

ACCESSORIES



6M Technique



Easy to cut

90°C
Heat resistant
up to



Robust (Thickness)



Static



Tape Resistant



Water Resistant
- No Marks

CDC Masking Film



- Multilayer masking film
- Use with water base paints
- Anti-staining
- No ghost marks when used on damp cars
- Gauge: 12µm



| PRODUCT | QUANTITY | PART NUMBER |
|------------------------------|----------|-------------|
| CDC Premium Red 5m x 100m | 1 roll | 319603 |



| PRODUCT | QUANTITY | PART NUMBER |
|------------------------------------|----------|-------------|
| CDC Green Anti-Static 5m x 150m | 1 roll | 319603 |



Yellow Polythene Masking Film

WORK SHOP



PAINT SHOP

- Traditional dust sheeting continuous
- No paint absorbent
- No anti-stain effect



| PRODUCT | QUANTITY | PART NUMBER |
|---|----------|-------------|
| Yellow polythene 8 μ m 3.8m x 150m | 1 roll | 306916 |
| Yellow polythene 10 μ m 4m x 175m | 1 roll | 302101 |
| Yellow polythene 9 μ m 4m x 200m | 1 roll | 307298 |

ACCESSORIES



6M Technique



Easy to cut

90°C
Heat resistant
up to



Robust (Thickness)



Static



Tape Resistant



Water Resistant
- No Marks

High / Ultra High Temperature Masking Film



- Paint absorbent masking film
- Anti-stain effect
- Antistatic
- Various Sizes
- Bespoke order

| PRODUCT | QUANTITY | PART NUMBER |
|--|----------|-------------|
| Ultra High Temperature HTZ Masking Film 18 > 40 µm 0.1m > 5m | 1 roll | Depend size |



200°C
Heat resistant
up to



| PRODUCT | QUANTITY | PART NUMBER |
|--|----------|-------------|
| High Temperature HTO Masking Film 26 > 40 µm 0.1m > 5m | 1 roll | Depend size |



160°C
Heat resistant
up to



Wondermask® WPS

WORK SHOP



PAINT SHOP

Wheel Paint System provides dramatic time savings compared to common methods like using paper and tape (less than 2 minutes)

- Considerable savings of tape and paper
- No rework
- Suitable for all car rims from 13" - 23"
- Easy handling due to highly elastic material components
- No need to remove wheel from rim

ACCESSORIES

| PRODUCT | QUANTITY | PART NUMBER |
|-------------------|------------------|-------------|
| Wheel masking WPS | 1 roll 80 pieces | 312406 |
| Wheel masking WPS | 1 box 20 pieces | 323679 |

Opticlean - Self Adhesive Protection Film



Self Adhesive Protection Film.

Keeps paint mixing rooms, tables, mixing scales, floors and spray booth cabins clean.

- Antistatic
- Strong adhesive inside, therefore non-slip
- Extreme non-slip on the outside due to special surface structure
- Tough and tear resistant
- No glue residues

| PRODUCT | QUANTITY | PART NUMBER |
|------------------------------|-----------------|-------------|
| Grey polythene self adhesive | 1 roll 25 meter | 312082 |

Pre-Taped Spray Booth Protection

WORK SHOP



PAINT SHOP

| PRODUCT | QUANTITY | PART NUMBER |
|--|--------------------------------|-------------|
| Polythene pre-taped, static 250 cm folded down to 40 cm, with extended handle for easy application | 1 box 9 rolls 2.5m x 20m | 318631 |
| White polythene, static 250 cm folded down to 90 cm | 1 roll 2.6m x 200m | 301777 |

ACCESSORIES

Left & Right Pre-Taped Masking Film



Produced either flat or multi-folded film

- Bespoke manufactured to order
- Temperature 110°C > 180°C
- Static or Antistatic
- Low and high temperature available
- Various fine line or crepe back tapes can be applied to the dispensed rolls
- Corona treated for paint absorbency



| PRODUCT | QUANTITY | PART NUMBER |
|---|--------------|-------------|
| 1" Tape Left Hand HTO 140-160 °C 110mm x 25 µm | Box 20 rolls | 322963 |
| 1" Tape Right Hand HTO 140-160 °C 110mm x 25 µm | Box 20 rolls | 322962 |
| 2" Tape Right Hand HTO 140-160 °C 110mm x 25 µm | Box 12 rolls | 321545 |

Glasclean - Self-Adhesive Transparent Protection Film



Keeps panes and lights in spray booth cabins clean
Protects Displays and Touchpads

- Tear resistant
- Perfect cutting ability
- Self-adhesive
- Easy to apply with applicator
- Easy to remove without glue residuals
- Applicable for all smooth and dust free surfaces



| PRODUCT | QUANTITY | PART NUMBER |
|--------------------------------|--------------|-------------|
| Transparent polythene 70 cm | 1 box 30m | 321901 |
| Applicator 19 x 12 cm | 1 piece | 322113 |

Paint Drop Remover

- A high quality special devise for easy removal of paint drops and dust enclosures



| PRODUCT | QUANTITY | PART NUMBER |
|--------------------|----------|-------------|
| Paint drop remover | 1 box | 300258 |
| on string | 1 piece | |

Combination Holder for Paint Drop Remover

The combined magnetic holder for secure guidance of the paint drop remover with straight or bevelled guide notch

- Abrasive disks are fixed on the slightly curved Vinyl or Velcro surface for selective works



| PRODUCT | QUANTITY | PART NUMBER |
|------------------------------------|----------|-------------|
| With cling surface vinyl straight | 1 piece | 301137 |
| With cling surface vinyl bevelled | 1 piece | 301138 |
| With cling surface velcro straight | 1 piece | 302201 |
| With cling surface velcro bevelled | 1 piece | 302202 |

Filler Spreader

| PRODUCT | QUANTITY | PART NUMBER |
|--------------------|----------------|-------------|
| Standard spreaders | Box 100 pieces | 323651 |




WORK SHOP

Equipment & Accessories

PAINT SHOP

ACCESSORIES





Wall Brackets for Dispenser Boxes

- Suitable for seat covers, floor mat and steering wheel protection



| PRODUCT | QUANTITY | PART NUMBER |
|-----------------------------------|----------|-------------|
| Dispenser box blue painted 1 bar | 1 piece | 308016 |
| Dispenser box blue painted 3 bars | 1 piece | 308015 |

Mobile Unit for Dispenser Box

- Mobile, practical working aid when working with Wondermask® in the dispenser box



| PRODUCT | QUANTITY | PART NUMBER |
|-----------------------------|----------|-------------|
| Galvanised partly assembled | 1 piece | 306920 |

Dispenser for Opticlean

| PRODUCT | QUANTITY | PART NUMBER |
|--|----------|-------------|
| Dispenser 100 cm width blue painted partly assembled | 1 piece | 321509 |



Magnetic Cutter

- Specially coated blade clings readily to hand on metallic items eg. dispensers



| PRODUCT | QUANTITY | PART NUMBER |
|--------------------|-----------------|-------------|
| Cutter with magnet | 1 box 50 pieces | 320915 |

White Cutter

- Accelerated cutting
- Extended durability



| PRODUCT | QUANTITY | PART NUMBER |
|--------------|---------------|-------------|
| White cutter | 1 piece | 311627 |
| White cutter | Pack 4 pieces | 323720 |

Snitty Cutter

- Cutter with replaceable blade - by turning the blade all 4 sides can be used



| PRODUCT | QUANTITY | PART NUMBER |
|--------------------|-----------------|-------------|
| Snitty | 1 piece | 300288 |
| Replaceable blades | 1 box 50 pieces | 301310 |

Holder for rubbish sacks with lid


| PRODUCT | QUANTITY | PART NUMBER |
|------------------|----------|-------------|
| Plastic coloured | 1 piece | 300253 |






Horn & Bauer

CUMBRIAN



Cumbrian Marketing Ltd
Townfoot Industrial Estate
Brampton CA8 1SW
Cumbria

Phone (+44) 0169 7741 080
Email: enq@cumbrian.co.uk
www.horn-bauer.co.uk



Subscribe and find all our application videos





Horn & Bauer
CUMBRIAN

Use the film
the professionals use.



Check out our website

www.horn-bauer.co.uk

